



**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**

State Form 48669 (R2/2-05)
SDH Form 51-0001

WELLS COUNTY HEALTH DEPT.
223 W. Washington, Suite 202
BLUFFTON, IN 46714-1955
(260) 824-6489

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name KENTUCKY FRIED CHICKEN	Telephone Number (260) Establishment 824-9982 (260) Owner 436-7100	Date of Inspection (mm/dd/yr) 2/16/2010	ID #
Establishment Address (number and street, city, state, ZIP code) 640 N MAIN ST BLUFFTON IN 46714	Owner COLONEL'S CHICKEN OF FORT WAYNE, LLC	Follow-up	Release Date 2/16/2010
Owner's Address 7100 W. JEFFERSON BLVD FORT WAYNE IN 46804	Purpose: 1. Routine 2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)	Summary of Violations: C 1 NC 3 R 1	
Person in Charge ANGELA HESHER	Responsible Person's E-mail	Menu Type (See back of page) 1 2 <input checked="" type="checkbox"/> 3 4 5	
Certified Food Handler MARK GATES			

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
187	C		On the buffet, fried chicken measured 129°F, grilled chicken measured 128°F, and chicken + noodles measured 129°F	Today
218	NC	✓	The walk-in freezer has a build up of ice several inches tall on the floor under the condensing unit.	60 Days
430	NC		Tiles in front of the walk-in freezer and in the threshold of the dry storage room are missing and/or cracked, allowing for standing water to accumulate from wet cleaning cleaning the floors	60 days
413	NC		The back door exiting the building has a gap between the bottom of the door and the floor, allowing for entry of pests.	60 days

Received by (name and title printed): Angela I. Heshner	Inspected by (name and title printed): Jennifer Coleman, EHS
Received by (signature): <i>Angela I. Heshner</i>	Inspected by (signature): <i>Jennifer M. Coleman</i>
cc:	cc: